



Mano
Médical
by **génia**^{GROUP}

Your Partner
FOR VET EQUIPMENT

Committed to your side since 1999!



2022

2023

Catalogue

• www.manomedical.com



Dear Partner,

Here is the new version of our catalogue with of course products you already know but also new ones we are happy to introduce.

We always try to bring you a portfolio of technical products which are practical and efficient solutions for our Vet customers in many fields such as Imaging, Surgery, Monitoring – Diagnostic, Cure and Care... But we are also always open to discuss about your specific needs to find the best shared solutions.

Beyond the equipment, all our team (commercial, technical, administrative) is dedicated to give you the best support with reactivity and perceptiveness. We all are involved in giving you the best service and making our partnership fluid and productive.

Whatever you are looking for, feel free to contact Rémy FRÉJAVILLE, our Export Manager.

Thank you for your trust and loyalty.

Denis CATINAUD, DVM
Quality & Marketing Director

LET'S GET IN TOUCH!

YOUR DEDICATED CONTACT:

Rémy FRÉJAVILLE · Export Manager
r.frejaville@manomedical.com · +33 (0)6 37 15 73 34



WE ARE HAPPY TO HELP YOU!

PRODUCT DEVELOPMENT

Discover our brand new products:

- ⇒ Ultra C6 and C15 ultrasonic cleaners
- ⇒ ManoPump iV1 infusion pump
- ⇒ ManoPump SP1 syringe pump

NEW!



EDUCATIONAL PLATFORM

Benefit from the expertise of veterinarian specialists

- ⇒ **Subscribe to our YouTube channel!**

DID YOU KNOW?

Discover our tips to get advices for use and technical information on our products

- ⇒ **Subscribe to our newsletter to receive all our information!**

FOLLOW US!

www.manomedical.com/en/



15, rue du Noroît - 22100 Taden - France
Tel. +33 (0)2 96 85 86 76 - export@manomedical.com
www.manomedical.com

CONTENTS

MANO MÉDICAL PRODUCTS 5

- Laser Therapy 8
- ManoPump Infusion 10
- Heating Mats 10
- Doppler 12
- Oxygen concentrator 12

EXCLUSIVE DISTRIBUTION 13

- petMAP™ 14
- VetSpecs® Monitors 16
- Electro Surgery Units 18

SELECTED PRODUCTS 19

- Ultrasonic Cleaners 20
- ECG units 21
- Microscopes 21
- MonitoVet Monitors 23
- Anaesthesia 24
- Dental Instruments 25
- Infusion, nebulizer and suction unit 26
- Lighting 27
- X-Ray 28

INDEX 31

See our product ranges on www.manomedical.com/en



Medical
Imaging



Surgery
Anaesthesia



Monitoring
Diagnostic




Care
Procedures



Furniture
Lighting

Mano Médical products



Laser Therapy

LaserFlex LT 16

FREE
SOFTWARE
UPGRADE!



● ADAPTED TO CARES AT THE CLINIC AND IN THE FIELD



ERGONOMY :

- Battery operated
- Soundless
- 7" large touchscreen
- Small and lightweight (2.2 kg)

Long
life
battery

10 years
warranty on
diodes

ULTRA
MOBILITY!





Laser Therapy

SIMPLICITY:

- Simple and intuitive display
- Power Pulse mode up to 16W
- 3 different tips for many indications





LOTS OF PROTOCOLS ADAPTED TO SPECIES AND ANATOMICAL PARTS

TYPICAL APPLICATIONS IN VETERINARY MEDICINE:

- Acute (post-trauma) or chronic (arthritis...) pain treatment
- Post-surgical or trauma wound healing promotion
- Inflammatory symptom reduction
- Muscle and ligament trauma reduction
- Dental abscesses and gingivostomatitis healing

Access to
all our former
webinars for
free!



INFUSION PUMP

ManoPump iV1

For safe and precise administration!

- Small and light (1.45 kg)
- **Kennel mount and IV stand support included**
- High-performance battery (up to 10 hours run time)
- Large touchscreen (4.3" - 10.75 cm) for a clear display of parameters including infusion time left
- Many settings available such as:
 - ✓ Overall infusion volume
 - ✓ Requested flow
 - ✓ Infusion total time
- High sensitivity of settings (bubbles and occlusion pressure)
- **Transfusion compatible**



NEW!

- Automatic recognition of syringe sizes (5, 10, 20, 30 and 50/60 ml)
- Large touchscreen (4.3" - 10.75 cm) for a clear display of parameters
- Multi-function operation with 3 modes: ml/h (time, rate mode), body-weight mode and micro mode

SYRINGE PUMP

ManoPump SP1

HEATING MAT

Carbon Tech V1



100% Efficient, 100% Secure!

- High density carbon fabric
- Specifically designed for even heat distribution
- Smooth and comfortable structure
- Target temperature obtained in less than 5 minutes
- Designed to maintain the appropriate temperature for a long period

WARRANTY
5 YEARS
AGAINST
SCRATCHES
AND BITES

Available in 2 sizes:

Cage model: 52 x 62 cm (+/- 1 cm)

Power: 25W

Table model: 52 x 112 cm (+/- 1 cm)

Power: 50W



Heating Mat

HEATING MAT

Carbon Tech V2

EFFICIENT
RELIABLE
SAFE

Mano Médical
Products

Top grade comfort and safety for the patient and for the user!

- ▶ Effective warming
- ▶ Even heat distribution
- ▶ Easy to clean and easy to disinfect
- ▶ Low maintenance costs
- ▶ Energy efficient: 50 Watts only!
- ▶ Waterproof
- ▶ Environmentally friendly



Cage model: 52x62 cm (Power: 25W)



Table model: 52x112 cm
(Power: 50W)

Ask for our
hypothermia
management
guide!

CarbonTech V2 advantages:

- Safe temperature regulation (integrating a sensor and a high accuracy limiter not exceeding 42°C-107.6°F)
- 3 power levels (50%, 80% and 100%)
- Safety shutdown after 12 hours of use
- Disconnectable power block

VETERINARY DOPPLER ●

Vet BP

Blood pressure measurement, monitoring, small animals' examination



Including 4 cuffs in different sizes, 1 blood pressure probe, battery charger, sphygmomanometer, headset and tube of gel

2 optional probes:

- Pencil probe for easy exotic animals' examination ① (option)
- Transesophageal probe for use on anesthetized animals as a cardiac monitoring solution (option) ②



● OXYGEN CONCENTRATOR

VetOxyFlow OC1

The output pressure superior to most of other devices on the market allows to provide oxygen efficiently to all types of anaesthesia machines

NEW!

- ▶ Fully automatic
- ▶ Easy operation
- ▶ Compact and silent
- ▶ Easy maintenance

Oxygen: $\geq 93\%$
Flow rate: 0-5 l/min
Sound level: 45 dB
Weight/Dimensions : 22 kg/ 49x27x56 cm



• Exclusive distribution



PetMAP™

The Blood Pressure Lead Solution!

Convenient, Easy to use, Accurate and Profitable

Exclusive
Distribution



PetMAP™ g3

- Systolic and diastolic blood pressure
- Mean arterial blood pressure (MAP)
- Heart rate
- Correlated with intra-arterial blood pressure
- Proven petMAP technology with PPO (petMAP Proprietary Optimizations)
- Real-time display of oscillometric envelope
- Tabular display of readings and NSV (Nominal session value) in clinic
- Graphic display of last 45 readings in OR
- Easy to use «no menu» touch screen display



All the PetMAP™ include
7 cuffs in different sizes
(2 - 2.5 - 3 - 3.5 - 4 - 4.5 and 5.5 cm)

Options:

- Larger cuffs : 6.5 - 8 - 10 and 13 cm
- Protective cover
- Pole and table mounts



► Please contact us to check distribution agreement in your country.
Tel. +33 637 15 73 34 · r.frejaville@manomedical.com

CHOOSE THE RIGHT MODEL TO SUIT YOUR NEEDS!

	PetMAP™ graphic II	PetMAP™ g3	PetMAP™+ II	PetMAP™ + II SpO ₂
Measured parameters	Blood pressure (systolic, diastolic and MAP) Heart rate	Blood pressure (systolic, diastolic and MAP) Heart rate Temperature (esophageal probe sold separately)	Blood pressure (systolic, diastolic and MAP) Heart rate Temperature ECG (optional module) Capnography (optional module)	Blood pressure (systolic, diastolic and MAP) Heart rate Temperature Pulse oxymetry ECG (optional module) Capnography (optional module)
Display	4.3" (10.9 cm) touchscreen	5" (12.7 cm) touchscreen		
Cuffs inflation	Automatic	Automatic and BP cycle time setting for automatically repeated BP measurements		
Power	4 AA Alkaline	4 AA NiMH and AC/DC adapter		
Included accessories	7 cuffs from 2 to 5.5 cm	7 cuffs from 2 to 5.5 cm Temperature esophageal probe	7 cuffs from 2 to 5.5 cm Temperature esophageal probe SpO ₂ lingual and toe sensors	

Exclusive Distribution



PetMAP™+II, diagnosis and monitoring!

- Temperature monitor using esophageal probe
- O₂ saturation with pleth display along with petMAP+ II SpO₂ model

For a comprehensive monitoring, 2 optional modules:

- ECG Module (ECG waveform and HR display)
- Mainstream capnography providing CO₂ numerics (EtCO₂, Insp CO₂, RtCO₂) and Respiration Rate from CO₂



Automatic cuff inflation !

During the monitoring session, the measurement process starts automatically, according to time lapse settings.



MULTIPARAMETER MONITORING

SM 100

A technology specially designed for veterinary use!

The VetSpecs® SM100 monitor is developed for vital signs monitoring and ECG testing in surgery and dentistry.




The parameters:

- Sidestream Micro-flow™ capnography
- Non-invasive blood pressure using plethysmographic method suitable for all animal sizes from 2 to 60 kg
- Pulse oxymetry with two veterinary specific SpO₂ sensors:
 - 1 lingual sensor
 - 1 leg/toe sensor suitable for use on legs and toes covered with pigmented tissue and dense fur and for use for veterinary
- ECG registered with a single esophageal probe
- Core body temperature with a single esophageal probe

PM 10B

- Sidestream Micro-flow™
- Pulse oxymetry
- ECG registered with a single esophageal probe
- Core body temperature with a single esophageal probe




Our multiparameter monitors come with accessories specifically adapted to animals.



2 SpO₂ sensors:
lingual toe and leg/paw sensors



3 ECG leads
with atraumatic flat clips



2 esophageal probes
(dog and cat)

Exclusive Distribution



CAPNOGRAPH

Capno 5

- Real-time CO₂ waveforms (capnogram)
- End-tidal CO₂ (ETCO₂)
- Fractional inspired CO₂ (FiCO₂)
- Respiratory rate (RR)
- Audible and visual apnea alarms
- Delivered with table mount

Exclusive
Distribution

With the very low sample flow rate of 50 ml per minute, the Capno-5 is suitable for use in a wide range of veterinary patients, including cats and dogs of all sizes!

And unlike all mainstream capnographs, which are not designed for use in dentistry and non-intubated patients, the Capno-5 can be used in all procedures for intubated or non-intubated patients.

CHOOSE SIMPLY AND QUICKLY!

	T°C	Pulse oxymetry	Blood Pressure	Capno-graphy	ECG	Highlights
Capno 5				✓		<ul style="list-style-type: none"> • Small and compact capnograph • Very low sample rate suitable for use in a wide range of animals including cats and dogs of all sizes • Long-life battery operated
PM 10 B	✓	✓		✓	✓	<ul style="list-style-type: none"> • 14.2 cm (5.6") display • High sensibility sensors, cuffs and probes adapted to use on animals • Esophageal probes in 3 sizes: exotics (option), cats and dogs for Temperature and ECG • Dental ECG kit (option) • Automatic ECG tracing and monitoring recording on USB
SM 100	✓	✓	✓	✓	✓	<ul style="list-style-type: none"> • 26.5 cm (10.5") large display • High sensibility sensors, cuffs and probes adapted to use on animals • Esophageal probes in 3 sizes: Exotics (option), cats and dogs for temperature and ECG • Dental ECG kit (option) • Possibility to control blood pressure in diagnosis • Automatic ECG tracings and monitoring recording on USB

HIGH FREQUENCY ELECTRO SURGERY UNITS

**OUR ELECTRO
SURGERY DEVICES
INCLUDE FULL
ACCESSORY SET.**

(holders, neutral plate,
forceps, electrode
set...)



Vet-HF B Bipolar

- Microprocessor-controlled monopolar electro surgery units
- 100 W maximum output power
- Perfect for the small animal practice

VetoSurge Bipolar Unit

- Works at 1 MHz frequency ensuring reduced tissue damage
- Strong cutting and coagulation
- Simultaneous monopolar and bipolar modes
- 110 W maximal output power



MMC 400S Bipolar

- 360W, digital control
- Independent regulation of the level of hemostasis
- Simultaneous monopolar and bipolar connection
- Automatic contact plate control

RadioVet Bipolar

- Radiosurgery: a 4 MHz frequency allowing high precision surgeries with strong coagulation
- Very efficient coagulation thanks to the very latest semi-conductor high voltage gradient generator
- 200 W maximal output power



Selected products



HEATED ULTRASONIC CLEANERS

Ultra-C 6

- **Ultrasonic power: 270 Watts max crest (3 transducers of 40 kHz - 180 Watts efficient)**
- **Inside dimensions Lxwxh: 300x150x150 mm**
- **Outside dimensions Lxwxh: 325x180x305 mm**
- **Volume: 6 L**
- Stainless steel tank
- Heating power: 300 Watts
- Mechanical timer adjustable from 0 to 30 min, ultrasonic automatic stopping
- Temperature setting from 0 to 80°C
- Electromechanical thermostat
- Ultrasonic independant heater circuit, NON-STOP use
- Evacuation valve
- Stainless steel basket with 10mm mesh + lid



NEW!

Selected
Products

Ultra-C 15

- **Ultrasonic power: 540 Watts max crest (6 transducers of 40 kHz - 360 Watts efficient)**
- **Inside dimensions Lxwxh: 330x300x150 mm**
- **Outside dimensions Lxwxh: 360x330x330 mm**
- **Volume: 15 L**
- Stainless steel tank
- Heating power: 400 Watts
- Mechanical timer adjustable from 0 to 30 min, ultrasonic automatic stopping
- Temperature setting from 0 to 80°C
- Electromechanical thermostat
- Ultrasonic independant heater circuit, NON-STOP use
- Evacuation valve
- Stainless steel basket with 10mm mesh + lid

**LARGE
CAPACITY**



NEW!



ELECTROCARDIOGRAPHS

Vet ECG-VE 100/1 lead

An easy and suitable control of cardiac arrhythmias

- LCD single-channel display
- Printing of a single channel at a time and of 7 channels successively in automatic mode
- AC or battery powered
- Digital artifacts and interference filter
- Manual and automatic mode
- Adjustable parameters



Vet ECG-VE 300/3 leads

Essential for further cardiological examination



- LCD three-channels display
- Recording of 7 channels simultaneously
- Printing of 7 channels simultaneously in automatic mode
- AC or battery powered
- Digital artifacts and interference filter
- Manual and automatic mode
- Adjustable parameters

Selected Products

MICROSCOPES

VetScience



BINOCULAR MICROSCOPE

B01

A SIMPLE BUT REMARKABLY HIGH-QUALITY INSTRUMENT DESIGNED TO BE USED IN VETERINARY PRACTICE!

- Achromatic plans (4x/ 10x/ 40x et 100x)
- Large field ocular 10X / 18 mm
- 3W LED lamp, adjustable brightness



► Please contact us to check distribution agreement in your country.
Tel. +33 637 15 73 34 · r.frejaille@manomedical.com

MICROSCOPES

VetScience



BINOCULAR MICROSCOPE

B02

IDEALLY DESIGNED FOR INTENSIVE USE IN VETERINARY PRACTICE

- Infinity achromatic plans (4x/ 10x/ 40x et 100x)
- Large field ocular 10x/20 mm
- 3W LED lamp, adjustable brightness and focus

TRINOCULAR MICROSCOPE

T03

IDEALLY DESIGNED FOR INTENSIVE USE IN ADVANCED VETERINARY PRACTICE

- Infinity achromatic plans (4x/ 10x/ 40x et 100x)
- Large field ocular 10x/20 mm
- 3W LED lamp, adjustable brightness and focus
- Coaxial focusing knob, course focusing range is 15mm and fine focusing is graduated in increment of 1µm.
- Optional camera and tablet



X0.25 C-MOUNT CAMERA

- USB 2.0 connection
- 10 MPixel image resolution
- Software including many settings

TABLET

ANDROID-POWERED 9.7" TABLET

- Built-in a 5 MP camera
- X 0.25 C-mount
- Software including many settings





Monitoring

PORTABLE MULTIPARAMETER MONITORING

MonitoVet

The most compact and affordable vital signs monitors

- Mainstream Capnography (EtCO₂)
- Pulse oxymetry (SpO₂)
- Non-Invasive Blood Pressure
- Temperature

CHOOSE YOUR COMBINATION!

<p>SpO₂ 1</p> <p>+ Temperature</p>	<p>EtCO₂ 3</p> <p>+ SpO₂</p>
<p>SpO₂ + BP 2</p> <p>+ Temperature</p>	<p>SpO₂ + EtCO₂ 4</p> <p>+ BP</p>



Selected Products





OXYGEN CONCENTRATOR

VetO₂⁺ Silent (5 litres)

- Produces 0.5 to 5 l of oxygen per minute
- Equipped with a humidification flask including a pressure relief valve
- Size of a cabin suitcase (35 x 28 x 51 cm)
- Quiet: only 40 dB



Mano Médical exclusive support:

Test quickly and easily how efficient your oxygen concentrator is!

Contact-us: +33 (0)2 96 85 86 76

APNEA DETECTOR

apAlert

The original!

Easy anaesthesia respiration monitor

- Visual and acoustic alarms
- Display of seconds passed between two breaths
- Alarms and sensitivity adjustment



LARYNGOSCOPE

Set of 3 straight Miller blades

- 1 x 75 mm Miller blade (n°0)
- 1 x 100 mm Miller blade (n°1)
- 1 x 150 mm Miller blade (n°2)



SCALER

D7 ultrasonic scaler

Including a 400 ml water tank and a detachable and autoclavable handpiece

- Applications: scaling, periodontal and endodontic treatments
- Optical handpiece for more convenient operation
- SATELEC compatible detachable handpiece



7 different tips for endless applications



Vet200 Plus ultrasonic scaler



Portable and powerful Piezo-electric scaler
Perfect for veterinary use

- 5 piezo-ceramic tips
- Automatic frequency tracking
- Pressure from 0.1 to 0.5 bar
- EMS compatible detachable handpiece

Selected Products

Strong Micromotor and Polisher



Light, compact and handy for interventions on small animals or devitalized teeth

- Compact and light type E motor
- Regular speed from 0 to 35 000 RPM
- 1:1 contra angle included

STABILIZER FOR INFUSION

IV Stab

Design to prevent intravenous catheter occlusion
Set of 3 sizes (S, M and L)



VETERINARY FLUID WARMER

Vet Temp2

- Use with standards fluids, blood and TPN fluids
- Accepts standard tubing sets for small animals
- Temperature sensors allow the temperature control of the heating plate

VACUUM UNIT

Askir

For a clean and bloodless operating field

- Portable and compact
- Suitable for medical procedures
- 1 liter autoclavable collection jar
- Flow: 30 l /minute



NEBULIZER

Designed for aerosoltherapy

- Operating air flow: 5.2 l / min
- Pressure: 1.3 bar
- Neb-rate with 4 ml solution: 0.50 ml / min



EXAM LAMPS

Alfa LED

- Lamp diameter: 8.6 cm
- Light field diameter at a distance of 0.50 m: 14 cm
- Temperature: 4 200°K
- Colour rendering index: 95 Ra
- Fixing systems: wall, desk or mobile



35 000 Lux
at 0.5 m

35 000 Lux
at 1 m

- Lamp diameter: 19.5 cm
- Light field diameter at a distance of 1 m. : 28 cm
- Temperature: 4000°K and 4500°K
- Colour rendering index: 95 Ra
- Control of illuminance in 6 steps
- Models: mobile, ceiling and wall

VetLight 30

SURGICAL LAMPS

VetLight 80

- Lamp diameter: 30 cm
- Light field diameter adjustable from 11 to 33 cm
- Temperature: 4 500°K and 5 000°K
- Colour rendering index: 94 Ra
- 28 LEDs
- Models: mobile, ceiling, double ceiling and wall
- 2 sterilizable handles included

120 000 Lux
at 1 m



Selected
Products



160 000 Lux
at 1 m

VetLight Golden

- Lamp diameter: 52 cm
- Light field diameter adjustable from 11 to 35 cm
- Temperature adjustable from 4 000°K to 4 600°K
- Colour rendering index: 95 Ra
- 81 LEDs
- Models: mobile, ceiling, double ceiling and wall
- 2 sterilizable handles included

► Please contact us to check distribution agreement in your country.
Tel. +33 637 15 73 34 · r.frejaville@manomedical.com



All our X-ray generators are **certified CE Medical 93/42**

According to your country regulation, **CE Medical** or **NF74100** certifications may be mandatory.

PORTABLE X-RAY GENERATORS

HF 1060

- High frequency X-Ray generator
- Exposure hand switch
- Dual laser for easy focal distance setting
- Convenient handling for advanced image quality
- Supplied in a robust carrying case
- Weight: 12.9 kg



Poskom 20BT Lite

- High frequency X-Ray generator
- Internal battery or external power supply operation
- Up to 650 exposures on one charge
- Dual laser for easy focal distance setting
- Supplied in a robust aluminium carrying case
- Weight: 7.2 kg





EQUINE FLAT PANEL DR Imaging WIFI


- Transported in a rigid, water-proof case highly resistant to impacts
- Long-life battery
- Small size and handle for easy transportation (333 x 282 x 15 mm, 2.8 kg)
- Completely wireless



Computer not included

Selected
Products

PRE-PURCHASE EXAMS MADE EASIER!
AUTOMATIC measurements, image labeling, rotation and calibration
WITH A SIMPLE CLICK, share images or reports via email or cloud server



+ SOFTWARE AND ARTIFICIAL INTELLIGENCE

A whole world of possibilities to facilitate
the work of equine veterinarians

- Automatic measurements
- Automatic image labeling
- Automatic hoof measurements and mark-up
- Automatic image location, calibration, cropping and rotation

- No need to predefine a worklist
- No need to return to the computer to label images
- Deep learning : Intellect module learns from experience and improves its detection capabilities

FLAT PANEL

DR Imaging



- CE Medical Silicium CSI Flat Panel
- Instantly delivered high resolution images
- Works with any X-ray generator
2 sizes: 40 x 43 and 43 x 43 cm
- Fits easily in your cassette drawer
- Can be used wireless (option)



ManoVet software: a custom-made solution!
Select the right set according to your needs!

SOFTWARE

ManoVet

ManoVet STANDARD designed for daily operations

- An intuitive and easy to use display
- Image quality: Image processing specifically developed for use on animals
- Possibility to adjust the image style to customer's requirements
- Possibility to save images with various post-processing parameters
- Preset anatomical parts for dogs, cats, horses and exotics
- Calibrate measurements to take into account object / panel distortion in just two clicks
- Windows or DICOM printing
- Guided measurements
- JPG images sharing on the clinic network, allowing to integrate them in the patient file on the management software



Computer not included

ManoVet PREMIUM to meet special needs

- Connectivity module
- Advanced images Management
- Radiation protection (automatic dose information recording for all images and performing staff)
- Orthopaedis Module (advanced functionalities for orthopaedis)


Mano Médical Mini PACS (option)

- Get access to all images from any other location in the clinic with the full set of ManoVet functionalities!

FIND THE RIGHT REFERENCE!

This list does not include all our references (ie lighting & flat panels). Please contact us to receive the relevant price list.

Item No	Designation	Page
K/BIS101	Seal&Cut MV1 Vessel sealing + monopolar and bipolar electro-surgery unit	6
K/LAS102	LT16 Laser Flex Therapy Laser (3 Wavelengths) + 2 Goggles + 1 standard head	8
POM200	ManoPump iV1 Infusion Pump with two attachments (cage and infusion stand)	10
SYR200	ManoPump SP1 Syringe Pump	10
MAT0344/24	CARBON TECH Kennel Heating Mat 62 cm x 52 cm - 24V	10
MAT0342/24	CARBON TECH Table Heating Mat 112 cm x 52 cm - 24V	10
MAT0344/V2/24/EU	CARBON TECH V2 Kennel Heating Mat 62 cm x 52 cm - 24V	11
MAT0342/V2/24/EU	CARBON TECH V2 Table Heating Mat 112 cm x 52 cm - 24V	11
DOP143	VET BP Doppler with one Blood pressure Probe 8Mhz (ref. SON167)	12
CON800	VetOxyFlow OC1 5 L Oxygen Concentrator	12
MAP006	petMAP™ graphic II - Blood Pressure measurement device	14
K/MAP009	petMAP™ g3 - Blood Pressure measurement device	14
K/MAP010II/5	petMAP+™ II Device incl. Esophageal temperature	15
K/MAP011II/ANA/5	petMAP+™ II Analog - SpO2 Device incl. Esophageal temperature	15
VSM350	PM 10B Monitoring System Micro-Flow Sidestream	16
VSM407	SM100 Monitoring System Micro-Flow Sidestream	16
VSM210	CAPNO 5 Capnograph (Microstream Capnography)	17
BIS003	Vet HF-B Digital Electrosurgery unit bipolar	18
MMC500	VETOSURGE 110 Electrosurgery unit	18
MMC069	MMC 400S Electrosurgery unit	18
MMC700	RADIOVET 210 Electrosurgery unit	18
CUV-ULTRA6	Ultrasonic Cleaner 6L	20
CUV-ULTRA15	Ultrasonic Cleaner 15L	20
ECG001-100	VET ECG VE100 - Single channel	21
ECG003-100	VET ECG VE300 - Three channels	21
MIC010	Binocular Microscope VetScience B01	21
MIC011	Binocular Microscope VetScience B02	22
MIC015	Trinocular Microscope VetScience T03	22
MIC021+MIC020	10 MP Camera + C Mount x0.25 for trinocular microscope T03	22
MIC021+MIC022	9.7 LCD Android OS Tablet + C Mount x0.25 for trinocular microscope T03	22
MONIT100	MonitoVet 1 SpO2 + Temperature	23
MONIT101	MonitoVet 2 SpO2 + Blood Pressure + Temperature	23
MONIT102	MonitoVet 3 SpO2 + Capnography	23
MONIT103	MonitoVet 4 SpO2 + Capnography + Blood pressure	23
CON710	VETO2+ SILENT 5 L Oxygen Concentrator	24
APA139	APALERT Apnea Detector	24
LAR003	Laryngoscope - Set of 3 Miller blades: 75, 100 and 150 mm	24
MAV205	Type E MicroMotor / Polisher incl, Handpiece and 1:1 Head	25
USCA208	D7 LED Ultrasonic Scaler	25
USCA207	VET200 Plus Piezo Scaler	25
PAC132	IVS Stabilizer Pack 3 Sizes (White, blue, green)	26
WAR165	VET TEMP 2 Infusion Fluid Warmer	26
ASP165	Suction Unit ASKIR 30	26
NEB166	High Performance NEBULIZER	26
HF10060	1060 HF X-RAY Portable GENERATOR	28
PXM20BT	PXM-20BT X-RAY Portable GENERATOR with battery	28



www.manomedical.com



Mano
Médical
by **génia** GROUP

Tel. +33 (0)2 96 85 86 76
export@manomedical.com

15, rue du Noroît - ZA des Alleux
22100 Taden
France

Follow us!

