


SURGICRYL[®]

910

POLYGLACTINE



Type	Braided and coated multifilament
Composition	Polyglactine 910, a copolymer made of 90% glycolide and 10% L-lactide
Coating	Poly-glycolide-co-L-lactide and calcium stearate (<1%)
Colour	Violet
Tissue reaction	Minimal
Absorption	The hydrolytic action by which the material is broken down results in total absorption between 56 and 70 days. Approximately 50% of tensile strength remain after 21 days.
Presentation	Box with 12 sutures



*For quality
&
safety*



www.sutures.be



CHARACTERISTICS

- ☒ High tensile strength
- ☒ Synthetic
- ☒ Breaks down by hydrolysis
- ☒ Braided structure
- ☒ Coated multifilament
- ☒ Hermetically sealed packing

BENEFITS

- Excellent tissue support
- Minimal tissue reaction
- Predictable absorption rate
- Excellent handling properties
- High flexibility
- High tensile strength
- Excellent knot security
- Soft passage through the tissues with minimal sawing, tissue drag and trauma
- Good knot tie down / adjustability
- Reduced capillary action
- Guaranteed seal and product sterility

INDICATIONS General soft tissue closing and/or ligation especially in


- General surgery
- Skin closure
- Gastrointestinal surgery
- Plastic surgery
- Ophthalmic surgery
- Gynaecology
- Obstetrics
- Orthopaedics
- Urology

CONTRAINDICATIONS Cardiovascular surgery
Neurosurgery


Being absorbable not to use when an extended wound support is required.

Caution in patients with delayed wound healing (e.g. compromised immune system).

TENSILE STRENGTH



ABSORPTION





Without needle

Metric USP Length Order number

1.5	4/0	150 cm	<i>violet</i>	15150015
2	3/0	150 cm	<i>violet</i>	15200015
3	2/0	150 cm	<i>violet</i>	15300015
3.5	0	150 cm	<i>violet</i>	15350015
4	1	150 cm	<i>violet</i>	15400015
5	2	150 cm	<i>violet</i>	15500015
3	2/0	3 x 45 cm	<i>violet</i>	15300045-3
3.5	0	3 x 45 cm	<i>violet</i>	15350045-3
1.5	4/0	6 x 45 cm	<i>violet</i>	15150045-6
2	3/0	6 x 45 cm	<i>violet</i>	15200045-6
3	2/0	6 x 45 cm	<i>violet</i>	15300045-6
3.5	0	6 x 45 cm	<i>violet</i>	15350045-6
2	3/0	12 x 45 cm	<i>violet</i>	15200045
3	2/0	12 x 45 cm	<i>violet</i>	15300045
3.5	0	12 x 45 cm	<i>violet</i>	15350045
4	1	12 x 45 cm	<i>violet</i>	15400045
5	2	12 x 45 cm	<i>violet</i>	15500045
2	3/0	2 x 70 cm	<i>violet</i>	15200070-2
3	2/0	2 x 70 cm	<i>violet</i>	15300070-2
3.5	0	2 x 70 cm	<i>violet</i>	15350070-2
4	1	2 x 70 cm	<i>violet</i>	15400070-2
5	2	2 x 70 cm	<i>violet</i>	15500070-2



Without needle

Ligapack



Metric USP Length Order number

2	3/0	250 cm	<i>violet</i>	15200025
3	2/0	250 cm	<i>violet</i>	15300025
3.5	0	250 cm	<i>violet</i>	15350025
4	1	250 cm	<i>violet</i>	15400025
5	2	250 cm	<i>violet</i>	15500025



Round bodied taper point

1/2 circle



		Metric	USP	Length		Order number
HR 13 mm		0.7	6/0	75 cm	<i>violet</i>	15070113
		1	5/0	75 cm	<i>violet</i>	15100113
		1.5	4/0	75 cm	<i>violet</i>	15150113
		2	3/0	75 cm	<i>violet</i>	15200113
HR 17 mm		0.7	6/0	75 cm	<i>violet</i>	15070117
		1	5/0	75 cm	<i>violet</i>	15100117
		1.5	4/0	75 cm	<i>violet</i>	15150117
		2	3/0	75 cm	<i>violet</i>	15200117
HR 22 mm		3	2/0	75 cm	<i>violet</i>	15300117
		1.5	4/0	75 cm	<i>violet</i>	15150122
		2	3/0	75 cm	<i>violet</i>	15200122
		3	2/0	75 cm	<i>violet</i>	15300122
HR 26 mm		4	1	75 cm	<i>violet</i>	15400122
		1	5/0	75 cm	<i>violet</i>	15100126
		1.5	4/0	75 cm	<i>violet</i>	15150126
		2	3/0	75 cm	<i>violet</i>	15200126
HR 30 mm		3	2/0	75 cm	<i>violet</i>	15300126
		3.5	0	75 cm	<i>violet</i>	15350126
		4	1	75 cm	<i>violet</i>	15400126
		5	2	75 cm	<i>violet</i>	15500126
HR 36 mm		2	3/0	75 cm	<i>violet</i>	15200130
		3	2/0	75 cm	<i>violet</i>	15300130
		3.5	0	75 cm	<i>violet</i>	15350130
		4	1	75 cm	<i>violet</i>	15400130
HR 36 mm		5	2	90 cm	<i>violet</i>	15500130
		2	3/0	75 cm	<i>violet</i>	15200136
		3	2/0	75 cm	<i>violet</i>	15300136
		3.5	0	90 cm	<i>violet</i>	15350136
HR 36 mm		4	1	90 cm	<i>violet</i>	15400136
		5	2	90 cm	<i>violet</i>	15500136



Round bodied taper point

1/2 circle



		Metric	USP	Length		Order number
HR 40 mm		2	3/0	75 cm	<i>violet</i>	15200140
		3	2/0	75 cm	<i>violet</i>	15300140
		3.5	0	75 cm	<i>violet</i>	15350140-75
		3.5	0	90 cm	<i>violet</i>	15350140
		4	1	75 cm	<i>violet</i>	15400140-75
		4	1	90 cm	<i>violet</i>	15400140
		5	2	75 cm	<i>violet</i>	15500140-75
		5	2	90 cm	<i>violet</i>	15500140
HR 45 mm		4	1	90 cm	<i>violet</i>	15400145
		5	2	90 cm	<i>violet</i>	15500145
HR 48 mm		3	2/0	90 cm	<i>violet</i>	15300148
		3.5	0	90 cm	<i>violet</i>	15350148
		4	1	90 cm	<i>violet</i>	15400148
		5	2	90 cm	<i>violet</i>	15500148
HR 60 mm		4	1	75 cm	<i>violet</i>	15400160
		5	2	90 cm	<i>violet</i>	15500160
HR 65 mm		3	2/0	90 cm	<i>violet</i>	15300165
		3.5	0	90 cm	<i>violet</i>	15350165
HR 80 mm		4	1	100 cm	<i>violet</i>	15400180
		5	2	100 cm	<i>violet</i>	15500180



Round bodied taper point double armed

1/2 circle



		Metric	USP	Length		Order number
2 x HR 26 mm		2	3/0	75 cm	<i>violet</i>	15200126-2
		3	2/0	75 cm	<i>violet</i>	15300126-2

 Round bodied taper point loop	Metric	USP	Length	Order number		
1/2 circle 	HR 45 mm 	3.5	0	150 cm	<i>violet</i>	15350945
	HR 65 mm 	5	2	240 cm	<i>violet</i>	15500965

 Round bodied taper point			Metric	USP	Length		Order number
 5/8 circle	FR 26 mm		2	3/0	75 cm	violet	15200326
	FR 27 mm		3	2/0	75 cm	violet	15300327
			3.5	0	75 cm	violet	15350327

 Round bodied taper point	Metric	USP	Length	Order number		
3/8 circle 	DR 13 mm 	1.5	4/0	75 cm	<i>violet</i>	15150213
	DR 17 mm 	1	5/0	75 cm	<i>violet</i>	15100217
		1.5	4/0	45 cm	<i>violet</i>	15150217
		2	3/0	75 cm	<i>violet</i>	15200217
		2	3/0	75 cm	<i>violet</i>	15200222
	DR 22 mm 	1.5	4/0	75 cm	<i>violet</i>	15150222
	DR 30 mm 	4	1	75 cm	<i>violet</i>	15400230
		3.5	0	75 cm	<i>violet</i>	15350232

 Reverse cutting			Metric	USP	Length		Order number
	HS 12 mm		0.7	6/0	45 cm	<i>violet</i>	15071412
	HS 17 mm		1	5/0	75 cm	<i>violet</i>	15101417
			1.5	4/0	75 cm	<i>violet</i>	15151417
	HS 22 mm		2	3/0	75 cm	<i>violet</i>	15201422
	HS 23 mm		5	2	90 cm	<i>violet</i>	15501423
	HS 26 mm		2	3/0	75 cm	<i>violet</i>	15201426
			3	2/0	75 cm	<i>violet</i>	15301426
			3.5	0	75 cm	<i>violet</i>	15351426
			4	1	75 cm	<i>violet</i>	15401426
	HS 30 mm		2	3/0	75 cm	<i>violet</i>	15201430
	HS 36 mm		3	2/0	75 cm	<i>violet</i>	15301436
			3.5	0	90 cm	<i>violet</i>	15351436
			4	1	90 cm	<i>violet</i>	15401436
			5	2	90 cm	<i>violet</i>	15501436
	HS 40 mm		2	3/0	90 cm	<i>violet</i>	15201440
			3	2/0	90 cm	<i>violet</i>	15301440
			3.5	0	90 cm	<i>violet</i>	15351440
			4	1	90 cm	<i>violet</i>	15401440
	HS 48 mm		5	2	90 cm	<i>violet</i>	15501440
			3.5	0	90 cm	<i>violet</i>	15351448
			4	1	90 cm	<i>violet</i>	15401448
			5	2	90 cm	<i>violet</i>	15501448

 Reverse cutting			Metric	USP	Length		Order number
	DS 12 mm		0.7	6/0	45 cm	<i>violet</i>	15071512
			1	5/0	45 cm	<i>violet</i>	15101512
			1.5	4/0	45 cm	<i>violet</i>	15151512
	DS 16 mm		0.7	6/0	45 cm	<i>violet</i>	15071516
			1	5/0	75 cm	<i>violet</i>	15101516
			1.5	4/0	75 cm	<i>violet</i>	15151516
			2	3/0	45 cm	<i>violet</i>	15201516-45
			2	3/0	75 cm	<i>violet</i>	15201516



Reverse cutting

Metric


USP

Length

Order number

3/8 circle



DS 16 mm Easy Pass		2	3/0	50 cm	undyed	15201516UP
DS 16 mm black		0.7	6/0	45 cm	violet	15071516VB
DS 19 mm		1	5/0	75 cm	violet	15101519
		1.5	4/0	75 cm	violet	15151519
		2	3/0	75 cm	violet	15201519
		3	2/0	75 cm	violet	15301519
DS 19 mm Easy Pass		1.5	4/0	50 cm	undyed	15151519UP
		2	3/0	50 cm	undyed	15201519UP
DS 19 mm black		1	5/0	75 cm	violet	15101519VB
		1.5	4/0	75 cm	violet	15151519VB
DS 24 mm		1.5	4/0	75 cm	violet	15151524
		2	3/0	75 cm	violet	15201524
		3	2/0	75 cm	violet	15301524
		3.5	0	75 cm	violet	15351524
DS 24 mm Easy Pass		2	3/0	50 cm	undyed	15201524UP
DS 26 mm		2	3/0	75 cm	violet	15201526
		3	2/0	75 cm	violet	15301526
DS 26 mm Easy Pass		2	3/0	75 cm	undyed	15201526UP
		3	2/0	75 cm	undyed	15301526UP-75
DS 30 mm		2	3/0	75 cm	violet	15201530
		3	2/0	75 cm	violet	15301530
		3	2/0	90 cm	violet	15301530-90
		3.5	0	75 cm	violet	15351530
		3.5	0	90 cm	violet	15351530-90
		4	1	90 cm	violet	15401530-90
DS 30 mm Easy Pass		3	2/0	75 cm	undyed	15301530UP-75
DS 36 mm		3	2/0	75 cm	violet	15301536
		3.5	0	75 cm	violet	15351536
		4	1	75 cm	violet	15401536
DS 36 mm Easy Pass		2	3/0	75 cm	violet	15201536P
DS 40 mm		3.5	0	75 cm	violet	15351540
		4	1	75 cm	violet	15401540
DS 45 mm		3	2/0	75 cm	violet	15301545

 Reverse cutting		Metric	USP	Length		Order number
3/8 circle 	DS 80 mm		7	5	150 cm	<i>violet</i> 15701580

 Round bodied taper cutting point		Metric	USP	Length		Order number
1/2 circle 	HRT 13 mm		1.5	4/0	75 cm	<i>violet</i> 15150513
	HRT 17 mm		1.5	4/0	75 cm	<i>violet</i> 15150517
			2	3/0	75 cm	<i>violet</i> 15200517
	HRT 26 mm		1.5	4/0	75 cm	<i>violet</i> 15150526
			2	3/0	75 cm	<i>violet</i> 15200526
			3	2/0	75 cm	<i>violet</i> 15300526
	HRT 30 mm		3	2/0	75 cm	<i>violet</i> 15300530
			3.5	0	75 cm	<i>violet</i> 15350530
			4	1	75 cm	<i>violet</i> 15400530
	HRT 36 mm		3	2/0	90 cm	<i>violet</i> 15300536
			3.5	0	90 cm	<i>violet</i> 15350536
			4	1	90 cm	<i>violet</i> 15400536
	HRT 40 mm		3.5	0	90 cm	<i>violet</i> 15350540
			4	1	90 cm	<i>violet</i> 15400540
			5	2	90 cm	<i>violet</i> 15500540
	HRT 48 mm		8	6	150 cm	<i>violet</i> 15800548

 Round bodied taper cutting point		Metric	USP	Length		Order number
3/8 circle 	DRT 17 mm		1.5	4/0	75 cm	<i>violet</i> 15150417
			2	3/0	75 cm	<i>violet</i> 15200417

 Round bodied taper cutting point		Metric	USP	Length		Order number
3/8 circle 	DRT 13 mm		1	5/0	75 cm	<i>violet</i> 15100530-0413
1/2 circle 	HRT 30 mm					



Cutting

		Metric	USP	Length		Order number
Straight	GS 60 mm	2	3/0	75 cm	<i>violet</i>	15202160
		3	2/0	75 cm	<i>violet</i>	15302160



Blunt

		Metric	USP	Length		Order number
1/2 circle	HRB 36 mm	3.5	0	90 cm	<i>violet</i>	15351836
		4	1	90 cm	<i>violet</i>	15401836
	HRB 40 mm	3.5	0	90 cm	<i>violet</i>	15351840
		4	1	90 cm	<i>violet</i>	15401840
	HRB 45 mm	5	2	90 cm	<i>violet</i>	15501845



Blunt

		Metric	USP	Length		Order number
3/8 circle	DRB 63 mm	4	1	100 cm	<i>violet</i>	15401963
	DRB 85 mm	5	2	75 cm	<i>violet</i>	15501985



Micro needle taper point

		Metric	USP	Length		Order number
3/8 circle	MDR 6.4 mm 150µm	0.4	8/0	20 cm	<i>violet</i>	M910087