

SCANDI
VET

MELAG



MADE IN
GERMANY



Vet

SteriHero

My autoclave. My **super**power.

Your new **super**power

No matter what big tasks the day holds in store for you, **SteriHero Vet** has your back. The brand new stand-alone Class B and S autoclave now complies with medical device regulations and is perfectly suited for veterinarians: From the features to the price! Trendsetting technologies, an incredibly advanced display and the unique MELAG quality - made in Germany give you the superpower to change everything:

Now also available as
**Class B & S
autoclave**

MELAG

SteriHero Vet 23



Supersafe

Safety for your fluffy patients: Class B and Class S autoclaves with the fractional vacuum procedure provide the safest sterilization of all wrapped and unwrapped instruments - regardless of their type and complexity.

Class B and S steam sterilization according to EN 13060

Superstrong

More than enough power for whatever you plan to do: High loading capacities, fast cycle times from 16 minutes and effective vacuum drying ensure that your instruments are ready for use in no time.

Up to 6 kg on 5 extra long trays



Supersmart

The intuitive user interface with a large Smart-Touch Display makes everything easier: From program selection to documentation. With the help of process monitoring, you can provide complete proof of a successful sterilization.

Documentation via USB, network or log printout*


Superrobust

An autoclave should never fail: We make no compromises when it comes to reliability and develop under the highest quality requirements at our headquarters in Berlin.

100 % quality - made in Germany



The faithful companion for veterinary practices and clinics



„With our solutions for instrument reprocessing, we offer the highest protection for our faithful friends: the pets!“

Animalogic Veterinary Practice,
Spain



„Our top priority is our patients and their owners: that's why we rely on MELAG for reprocessing.“

AniCura Small Animal Specialists,
Germany



„The system solution enables perfect workflows for time- and cost-saving reprocessing.“

Clinica Veterinaria CMV,
Italy

Protects the environment. And your furry patients.

SteriHero Vet guarantees safe sterilization according to your needs with a wide range of programs.

But that's not all: the pioneering stand-alone device concept and the Power Save energy-saving function make **SteriHero Vet** the cleanest solution - for your budget and the environment.

Programs SteriHero Vet 23	Universal-B	Quick-S	Quick-B	Gentle-B	Prion-B
Program specification	134 °C, holding time: 5.5 min	134 °C, holding time: 3.5 min	134 °C, holding time: 5.5 min	121 °C, holding time: 20.5 min	134 °C, holding time: 20.5 min
Operating times (at minimum to maximum load) *	24 – 31 min	16 – 20 min	24 – 27 min	39 – 47 min	37 – 48 min
Drying (time controlled)	20 min	5 min	10 min	20 min	20 min

Programs SteriHero Vet 23 S	Universal-S	Quick-S	Gentle-S	Prion-S
Program specification	134 °C, holding time: 5.5 min	134 °C, holding time: 3.5 min	121 °C, holding time: 20.5 min	134 °C, holding time: 20.5 min
Operating times (at minimum to maximum load) *	20 – 25 min	16 – 20 min	36 – 38 min	35 – 40 min
Drying (time controlled)	25 min	5 min	25 min	25 min

* Data for the Quick S program for unpacked loads and for all other programs for single-packed loads.
Times may vary depending on load type and quantity.

Device / Order no.	Device type	Chamber size	Chamber volume	Load quantity	Device dimensions (W x H x D)	Weight	Power supply	Documentation interfaces
SteriHero Vet 23 ME10123VB	Stand-alone class B autoclave (compatible with additional water treatment)	ø 25 cm x 45 cm long	23 liters	max. 6 kg instruments / 2 kg textiles	47 x 50 x 64 cm (device fits on a 60 cm table top)	49 kg	220 – 230 V / 50 – 60 Hz (2.100 Watt)	USB, Network
SteriHero Vet 23 S ME10123VS	Stand-alone class S autoclave (compatible with additional water treatment)	ø 25 cm x 45 cm long	23 liters	max. 5 kg instruments / 1 kg textiles	47 x 50 x 64 cm (device fits on a 60 cm table top)	47 kg	220 – 230 V / 50 – 60 Hz (2.100 Watt)	USB, Network

Rev.0-24/0040-01.24-EN-ME



Save paper, protect the environment:

In order to reduce paper, we provide you with electronic user documentation via our Download Center. Further information at: www.sterihero.com

MELAG